

Instruction

- Analysis of CCA Method -

Dec. 31, 2017

IISEE, BRI, Japan

By T.Yokoi

Note: This version was developed on Linux: Ubuntu 16.04 LTS on VMWare Workstation Player 12.1.1 (build-3770994) on Windows10 Home 64bit (Build 14393) for 64bit PC, using gfortran compiler.

Operation on other OS may require additional revision or modification by users themselves.

Execution of commands is conducted as

./executable_file_name.exe

or

sh shell_script_file_name.sh

If it is necessary to leave log file of execution

./executable_file_name.exe 2>&1 | tee ./spacwkf/log/log_file_name.log

or


sh shell_script_file_name.sh 2>&1 | tee ./spacwkf/data/log/log_file_name.log

Folder Structure

Every necessary programs and files are stored under the folder “**CCA2017**”. The command operation must be conducted in the same folder.

The source codes of the programs are stored in the subfolder “**source**”, whereas the subfolder “**doc**” includes document files including this instruction manual.

The subfolder of work space “**cca_wkf**” contains the subfolder “**prm**” for parameter files and the script files of GNU PLOT, the subfolder “**data**” for data files including graphic ones and the subfolder “**log**” for log files of execution are stored.



Note: GNUPLOT scripts files

The folder “CCA2017” includes the following files of GNUPLOT scripts.

vel_model.plt
results.plt
etc.

and others under the subfolder ./cca_wkf/prm/gnuplt_scripts.

These can be loaded on GNUPLOT as `load '????'`.

Some programs create the scripts of GNUPLOT in that the command

`'set terminal x11'` ,

is included. This works on the GNUPLOT on Ubuntu and may be that on Windows.

If any problem on Windows, it is worth to try to replace it with

`'set terminal wxt'` .

Note: Executable files

The folder “CCA2017” includes several executable files. Their source code files are stored in the subfolder `./source`. Then, the following command is required to re-compile them if necessary. In the folder CCA2017, type in the following command.

```
gfortran ./source/???.for -o ??? .exe
```

In case of problems caused by the incompatibility between Fortran77 and Fortran95,

```
gfortran -ff2c ./source/???.for -o ??? .exe
```

Executable files must be stored in the folder CCA2017. This means that it is not necessary to move the executable files.

Note: Shell script files

The folder “CCA2017” includes several shell script files.

They are composed of few executing commands to reduce the typing tasks in data processing.

The following command can execute the shell script files.

```
sh shell_script_file_name.sh
```

or

```
sh ./shell_script_file_name.sh
```





As the contents of the shell script files contained in this program package are simple, they can work as batch files. However, it is necessary to activate batch files using the following.

```
chmod u+x shell_script_file_name.sh
```

For execution as a batch file,

```
./shell_script_file_name.sh
```

Procedures of analysis



Data Processing

1. Multiplexing & Resampling

1.1 Format Conversion & Multiplexing

1.1.1 *seg2* standard format

1.1.2 *win* format for LS8800

1.2 Resampling & Screening

“sh ./resamplec.sh”

1.3 Plot Waveform:

“sh ./seewavc.sh”

1.4 Checking the selected time blocks

“sh ./seeblkc.sh”

2. Estimating Dispersion Curve

2.1 Calculation of CCA coefficient

“sh ./pwrcrs3.sh”

2.2 Plot Power, Fourier Spectra & Coherence

“sh ./spectra_all.sh”

2.3 Quality Control & Dispersion Curve

“sh ./results.sh”

3. Heuristic Search of Vs Structure

4. Re-arrange graphs (*in preparation*)

Note: Example1


(Instrumental Correction without sensor at the center)

Example with two data sets:

HDLNN001.sg2: Huddle test data file

F2LNN001.sg2: 6 points circular array without one at the center

Both are the seg2 standard format file.



1. Multiplexing & Resampling

1.1 Format conversion & Multiplexing

1.1.1 *seg2* standard format)

Shell Script used:

```
sh ./seg2read.sh
```

Program and parameter file used:

```
seg2read.exe +./cca_wkf/prm/seg2read.prm
```

seg2read.exe is prepared for the field data files of *seg2* standard format.

Terminology

Multiplexing:

To sort the data individually stored in single channel files into a multi-channel file of the time-sequential format.

Multiplexing must be done by the users prior to the analysis. Here, *seg2* standard (multiplexed binary) format is explained as an example.

The multiplexed files prepared by users must be written in the same format as that of the output files of “seg2read.exe” explained below. Their extension is “.dat” .

seg2read.exe


+ Convert data format from *seg2* standard format (binary & multi-channel) in the sub-folder

"cca_wkf/data/sg2_files" to cdm format (ascii text, multi-channel),

+ Channel pivoting and extraction

First: Copy all the seg2 format files to be converted into the sub-folder "cca_wkf/data/sg2_files".

Example:



```
seg2read.sh:

#! /bin/sh -x
cd cca_wkf/data/sg2_files
ls *.sg2 > sg2file.lst
cd ../../..
./seg2read.exe | tee cca_wkf/log/seg2read.log
cd cca_wkf/data/multiplexed_files
ls *.dat > mltfile.lst
cd ../../..
./mk_title.exe
```

Shell script executes "ls *.sg2 > sg2file.lst" in this sub-folder and existing sg2 files are listed in the newly created file "sg2file.lst". All the files listed in it that have the extension specified in the 3rd line of the parameter file "seg2read.prm".

Finally, the first line of "seg2read.prm" is copied to "graph_title.txt" in the same subfolder.


Example: seg2read.prm

All the files listed in "sg2file.lst" that have the extension specified in the 3rd line are converted to the output files that have the extension given in the 4th line.

Edit the file "sg2file.lst" using "gedit" or other text editor if necessary.

seg2read.prm

```
LCCM,Field,r=2m,L22D,No_Rs,No_A_amp,D_amp=X1,F2LNN0,Mar.15,2012      :comm(a70)
5.E-3      : scaling factor (for output files in mkine(1.e-3cm/s))
sg2        : extension of input seg2 format files(a3)
dat        : extension of output ascii text files(a3)
0 3 0.1 1.0 1.5 :nfilter(=1:apply),nchara=3:bandpass),f1,fh,fs
pvlist 1 2 3 4 5 6 : Channel Pivoting
```



The array used in the field has 6 sensors, but none of them at the center. They were installed counter-clockwise order. Then, pvlist 1 2 3 4 5 6 :

Explanation: seg2read.prm

All the files listed in "sg2file.lst" that have the extension specified in the 3rd line are converted to the output files that have the extension given in the 4th line.

Edit the file "sg2file.lst" using "gedit" or other text editor if necessary.

seg2read.prm

1st line : comment (a70)

2nd line : scaling factor (use the value that makes the unit of the output files "mkine" (1.e-3 cm/s))

3rd line : extension of input seg2 format files(a3)

4th line : extension of output ascii text files(a3)→Fix it ".dat"

5th line : nfilter(=0:pass, =1:apply, =2:DC & Trend removal),
ncharacter(=2:lowpass,=3:bandpass),f1,fh,fs

6th line : Channel Pivoting

'normal' : no pivoting, all channel used

'rev_al' : all channel used but in reversed order

'rev_fh' : all channel used but former half in reversed order

'rev_lh' : all channel used but latter half in reversed order

'pvlist' 2 1 3 4 6 23 24 : Pivoting list.

Examples of the 6th line of seg2read.prm

Use all channels without pivoting:

```
normal      : Channel Pivoting
```

Use all channels but reversed order:

```
reverse     : Channel Pivoting
```

Use the first 7 channels of the input files without changing order:

```
pvlist 1 2 3 4 5 6 7 : Channel Pivoting
```

The same as above but 7th channel moved to the first:

```
pvlist 7 1 2 3 4 5 6 : Channel Pivoting
```

Use only odd numbered channels among 24 without changing order:

```
pvlist 1 3 5 7 9 11 13 15 17 19 21 23 : Channel Pivoting
```

Note: Be sure to put ' '(blank) before ':'(colon), otherwise the program can have an error in detecting the end of line.

If a sensor is located at the center of the circler array and used for incoherent noise correction, the corresponding data must be assigned to ch-1. Then, other channels must be listed following the order counter clock wise. The value of the azimuth of the first peripheral sensor must be given to the parameter ph00 and the in-coming azimuth of the pre-dominant wave is calculated.

“pvlist” can be used to change the channel order.

Format of output files

in `./cca_wkf/data/multiplexed_files`:

Users who use single channel recorders or data loggers must multiplex the record files in the following format by themselves.

```
6 0.0080      0.1000E+01  225000  mkine
LCCM,Field,r=2m,L22D,No_Rs,No_A_amp,D_amp=X1,F2LNN
0.000000  0.9600000E+02  0.6900000E+02  0.1220000E+03 ...
0.008000  0.1800000E+02  0.4200000E+02 -0.1450000E+03 ...
0.016000  0.1100000E+03  0.2070000E+03 -0.1930000E+03 ...
0.024000  0.5500000E+02  0.1370000E+03 -0.1850000E+03 ...
...
```

1st line: Number of channels, Δt (sec), scale, number of samples, unit

2nd line: Comment (less than 50 characters)

3rd line: Time, 1st-ch sample, 2nd-ch sample, 3rd-ch sample,

In the next step (resamplec.for reads this file as follows)

```
read(1,*)nch00,dt00,scale00,ndata00,cunit
```

```
...
```

```
read(1,'(a50)')comment
```

```
...
```

```
read(1,*,end=10) xdum,(x(i,j),j=1,nch)
```

Warning!


seg2read.for can handle less than or equal to 25 channels and less than or equal to 500,000 samples in every channel.

Exceedance may result in a significant error.

It is recommendable to split the input data file if too long, for example, into several files of 1 hour or 30 minutes data.

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./seg2read.sh
./cca_wkf/prm/seg2read.prm
./cca_wkf/data/sg2_files/sg2file.lst
F2LNN001.sg2


./cca_wkf/data/sg2_files/F2LNN001.sg2
./cca_wkf/data/multiplexed_files/F2LNN001.cdm
nch= 12 dt= 0.008 nn= 225000
  1 files have been converted.
Normal End.
yokoi@ubuntu:~/CCA2017/CCA2017$
```



Input file is ./cca_wkf/data/sg2_files/F2LNN001.sg2

Multiplexed output is ./cca_wkf/data/multiplexed_files/F2LNN001.dat

Log file is stored in 'cca_wkf/log/seg2read.log'



1. Multiplexing & Resampling

1.1 Format conversion & Multiplexing

1.1.2 *win* format for LS8800

This is the example of individually recorded data using a tri-axial sensor at each observation point.

Format conversion & Multiplexing must be done by the users prior to the analysis for the case of individual recording at each site.

Here *win* format is explained as an example. The *win* format data files are created, e.g., LS8800 of Hakusan Kogyo.


The multiplexed files must be written in a format that is readable in the next step: resampling.

As it is impossible to cover all existing formats in the world, it is strongly recommended to make their own program for format conversion.

Format conversion is conducted in the folder “lstocdm2”.

This folder can be set in any other folder. In this example, it is set in the folder “CCA2017”.

Usage of less than **4 seismographs** in a site is assumed.



Preparation:

1) Edit the parameters in prm_maker.for and compile it.

```
prm_maker.for
1  parameter(np0=4,nch0=3)
2  real      sen(np0,nch0)
3  character c_p(np0)*3,c_s*9,ch(nch0)*1,ch1(nch0)*3,
4  *        c_piv(nch0)*8,c_sen(np0)*31,label*7,
5  *        cstart*11
6 c constants:
7  data alsb/0.15646E-6/
8  *    (c_p(i),i=1,4)/'no1','no2','no3','no4'/
9  *    ((sen(i,j),j=1,3),i=1,4)
10 *    /794.,792.,798.,
11 *    /798.,798.,796.,
12 *    /796.,794.,798.,
13 *    /796.,796.,796./
14 *    (c_sen(i),i=1,4)
15 *    /'#1 T44002 Sensitivity (V/M/s) ',
16 *    /'#2 T44003 Sensitivity (V/M/s) ',
17 *    /'#3 T44004 Sensitivity (V/M/s) ',
18 *    /'#4 T44005 Sensitivity (V/M/s) '/
19 *    clabel/'NS EW V'/
20 *    (ch(j),j=1,3) /'N','E','V'/
21 *    (ch1(j),j=1,3)/'NS','EW','V'/
22 *    (c_piv(j),j=1,3)/' 1 2 3 1',' 2 3 1 1',' 3 1 2 1'/
23 c input:
24  open(10,file='prm_maker.prm',status='old')
```

Sensitivity of each channel
& each recorder

Name of each recorder &
configuration to the observation
points

Assumed components configuration

\$ gfortran prm_maker.for -o prm_maker.exe

Preparation (cont.):

2) Edit the parameter file “prm_maker.prm”

```
Sitename_      : site name (a9)
 3 3           : numbers of obs_ponts and channels
10             : duration of each connected file in min.(integer)
17091511.45    : first file name (yymmddhh.mm)
20             : number of output connected files (integer)
```

3) Create new folders “sitename_no1”, “sitename_no2”, “sitename_no3” etc. in “lstocdm2” .

```
$ mkdir sitename_no1
```

4) Copy the data files of LS8800 into the created new folders:

“sitename_no1” ← files from seismograph No.1

“sitename_no2” ← files from seismograph No.2

“sitename_no3” ← files from seismograph No.3

etc.

Execution:

- 1) `./prm_maker.exe`
→ “`lstocdm2.prm`” is created.
- 2) `./lstocdm2.exe`
→ All converted and separated files are stored in “`Combined_Data`”.

```
yokoi@ubuntu: ~/CCA2017/CCA2017/lstocdm2
yokoi@ubuntu:~/CCA2017/CCA2017/lstocdm2$ ./lstocdm2.exe
Parameter file: ./lstocdm2.prm

Directory of input data files:CityHall_no1
Sensitivity(M/s):      794.000000      792.000000      798.000000
Components: NSEWV
voltage per Least Significant Bit  1.56460004E-07 (V/LSB)
      1.97052905E-05  1.97550507E-05  1.96065157E-05
Output 1 channel NS
Start from: 17091511.45 , 20 file
Output file: ./Combined_Data/N1151145.cdm

Input file: ./CityHall_no1/17091511.45

Output file: ./Combined_Data/N1151205.cdm

Input file: ./CityHall_no1/17091512.05

Output file: ./Combined_Data/N1151225.cdm

Input file: ./CityHall_no1/17091512.25

Output file: ./Combined_Data/N1151245.cdm


Input file: ./CityHall_no1/17091512.45

^C
yokoi@ubuntu:~/CCA2017/CCA2017/lstocdm2$
```

```
yokoi@ubuntu:~/CCA2017/CCA2017/lstocdm2
All zero for 0.5byte data 15 12 29 32 ch-0 0.0
All zero for 0.5byte data 15 12 29 33 ch-0 0.0
All zero for 0.5byte data 15 12 29 34 ch-0 0.0
All zero for 0.5byte data 15 12 29 35 ch-0 0.0
All zero for 0.5byte data 15 12 29 36 ch-0 0.0
All zero for 0.5byte data 15 12 29 37 ch-0 0.0
All zero for 0.5byte data 15 12 29 38 ch-0 0.0
All zero for 0.5byte data 15 12 29 39 ch-0 0.0
All zero for 0.5byte data 15 12 29 40 ch-0 0.0
All zero for 0.5byte data 15 12 29 41 ch-0 0.0
All zero for 0.5byte data 15 12 29 42 ch-0 0.0
All zero for 0.5byte data 15 12 29 43 ch-0 0.0
All zero for 0.5byte data 15 12 29 44 ch-0 0.0
All zero for 0.5byte data 15 12 29 45 ch-0 0.0
```

This error message means the clipping of data. Check the time and eliminate the corresponding part.

➔ All converted and separated files are stored in “Combined_Data”.



File name (V1122035.cdm) includes the following information:

1st letter: component

2nd letter: numbering of seismograph (=numbering of station)

3rd & 4th: Date in (i2)

5th & 6th: hour in (i2)

7th & 8th; minutes in (i2)

Example of a converted file

```
V1122035.cdm (~/CCA2017/CCA2017/lstocdm2/Combined_Data) - gedit
```

```
1 File=17021220.35_17021221.04
2                               UNIT=mkine
3                               V
4   0 00:00:00.000 -0.2536984E+00
5   1 00:00:00.010 -0.3036754E+00
6   2 00:00:00.020 -0.3637498E+00
7   3 00:00:00.030 -0.4222556E+00
8   4 00:00:00.040 -0.4992112E+00
9   5 00:00:00.050 -0.5209548E+00
10  6 00:00:00.060 -0.3672006E+00
11  7 00:00:00.070 -0.1267266E+00
12  8 00:00:00.080  0.7720073E-01
13  9 00:00:00.090  0.1620773E+00
```

3 lines for header

Data lines:

Numbering,
(A8)

time,
(A13)

data
(e16.7)

The created single channel file by this format conversion program will be read in the next step using “multipx6.exe” as follows.

“multipx6.for”

```
character cline(3)*80,cdum*13,cdummy*8    ! Declare three
                                           ! character strings
.....
do i=1,3
  read(1,'(a80)')cline(i)    ! Read 3 lines header
enddo
do i=1,nst0-1
  read(1,*)cdummy            ! Skip first nst0 sec data
enddo
do i=1,ndur0
c read input data
  read(1,*,end=10)cdummy,cdum,x dum
  x(i,j)=x dum/scale
enddo
10  ndur0=i-1                ! Adjust number of samples
.....
```

Character strings cline(3) are not used further. Neither cdummy nor cdum.

Procedure for Multiplexing

- 1) Copy all the data files that will be used in the next step to “./cca_wkf/data/cdm_files” . For CCA analysis, only the files of vertical component are used. Then, copy all files of which name starts from “V”.
- 2) Apply multipx6.exe after editing “multipx6.prm” .
- 3) For automatic editing of “multipx6.prm”, the program “multi_pre.for” is prepared.

Edit the following “multi_pre.prm” and run “./multi_pre.exe”.

```
UD comp, Tsukuba CityHall 2017.09.15 11:45-03H20M : comment(A50)
30          : duration of each connected file in min.(integer)
V1122035    : first file name (yymmddhh.mm)
cdm         : extension (A3)
4 3 2 1     : station pivot (to center 1st and clockwise along circle)
24          : number of output connected files(integer)
```

1st line: comment but later used as the title of all graphs showing results of analysis

2nd : duration of connected files same as the 3rd line of “prm_maker.prm”

3rd : the earliest file name for the 1st position (A8)

4th : the extension of the filename of the files in the folder “cdm_files”

5th : station pivoting list (to center 1st and clockwise along circle)


6th: number of output connected files same as the 5th line of “prm_maker.prm”


```


1          :Number of cases
          :This blank is necessary
4 0.01    :Number of Channels,dt
0.0 1800. :tst,tdur
1.e0 mkine :scale(input data is divided by this scale)
0 3 0.1 1.0 1.5 :nfilter(=1:apply), ncharacter(=2:lowpass,=3:bandpass),f1,fh,fs
4 .cdm     :nattach, cattach → Input single channel file name
2 CH       :n_out(A12),cout (**.dat" is attached)
UD comp, Tsukuba CityHall 2017.09.15 11:45-03H20M :comment(A50)
10 8       :number of measurement in the same array configuration,n_charac
V1151145 V2151145 V3151145      ← 1st
...
V1151445 V2151445 V3151445      ← 10th measurement

```

} Input filelist


 1ch


 2ch


 3ch

Input file names : V1151145.cdm

consist of the character string ‘V1151145’ of 8 characters plus another character string ‘.cdm’ of 4 characters. These character strings and their number of characters are indicated in the 7th line for the latter and the 11th line and below for the former. Program ‘multipx6.exe’ automatically combines them and read the data from the files.

Don't leave a blank line at the end of input file list

Output file name: CH01.dat for the 1st measurement. '01' shows the numbering of measurement.

...

CH10.dat for the 10th measurement. '10' shows the numbering of measurement.

These output file names consist of the character string 'CH' of 2 characters as indicated in the 8th line. The following two integers show the numbering of measurement. '.dat' is attached to all automatically.

The data from tst to tst+tdur are processed in every files.

Values read from the input files are divided by the scale factor given in the 5th line. **This value must be selected to make the unit of data in the output file is 'mkine', i.e., 1.0E-5 M/sec for ground velocity. For ground acceleration 'gal', i.e., 1.0E-2 M/sec² should be used.** Otherwise the amplitudes of the data will be erroneously shown in the output figures.

Execution:

sh ./multipx6.sh

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu: ~/CCA2017/CCA2017$ sh ./multipx6.sh
Working Folder=./cca_wkf/prm/
Nch=          3  dt=  9.99999978E-03
Scale Factor=  1.00000000
Does this scale convert the unit of data mkine ?
Please change the value if not.
          0          3  0.100000001          1.00000000          1.50000000
0
UD comp, Tsukuba CityHall 2017.09.15 11:45-03H20M
          1 -th measurement:          3
V1151145 V2151145 V3151145
./cca_wkf/data/multiplexed_files/CH01.dat
```




```
yokoi@ubuntu: ~/CCA2017/CCA2017
V1151405 V2151405 V3151405
./cca_wkf/data/multiplexed_files/CH08.dat

          9 -th measurement:          3
V1151425 V2151425 V3151425
./cca_wkf/data/multiplexed_files/CH09.dat


          10 -th measurement:          3
V1151445 V2151445 V3151445
./cca_wkf/data/multiplexed_files/CH10.dat
yokoi@ubuntu: ~/CCA2017/CCA2017$
```

```
#!/bin/sh -x
./multipx6.exe | tee cca_wkf/log/multipx6.log
cd cca_wkf/data/multiplexed_files
ls *.dat > mlfile.lst
cd ../../..
```

10 multiplexed data files are created in “./cca_wkf/data/multiplexed_files”



Format of multiplexed file:

A screenshot of a text editor window titled "CH01.dat (~/CCA2017/CCA2017/cca_wkf/data/multiplexed_files) - gedit". The window shows a text file with the following content:

```
1|      3 0.0100      0.1000E+01 120000 mkine
2 UD comp, Tsukuba CityHall 2017.09.15 11:45-03H20M
3 0.000000 -0.0000000E+00 -0.0000000E+00 0.0000000E+00
4 0.010000 -0.2698902E-02 -0.1801383E-03 0.1611501E-02
5 0.020000 -0.5751058E-02 0.2186286E-01 0.8482986E-03
6 0.030000 -0.1120633E-01 0.6439658E-01 -0.1553187E-02
7 0.040000 -0.1906924E-01 0.7681084E-01 -0.1050635E-01
8 0.050000 -0.2428344E-01 0.2831102E-01 -0.2274592E-01
9 0.060000 -0.2840238E-01 -0.3586553E-01 -0.1509346E-01
10 0.070000 -0.4618112E-01 -0.5318771E-01 0.2478352E-01
11 0.080000 -0.6112431E-01 -0.6022082E-02 0.8168686E-01
```

The status bar at the bottom indicates "Plain Text", "Tab Width: 8", "Ln 1, Col 1", and "INS".

1.2 Resampling & Screening

Shell Script used

```
sh ./resamplec.sh
```

Program and parameter file used:


```
resamplec.exe +./cca_wkf/prm/resamplec.prm
```

Terminology

Re-sampling:

It can be done to thin the data out in order to reduce the size of data files and the load to PC for processing. This can cause the aliasing effect. Then, it is necessary to apply the digital anti-alias filter that has high cut characteristics before thinning out.


Multi-channel data files from the same array configuration



Resampled & screened multi-channel & multi-measurement data file

Screening: Step-1

Parameter: *ajudge*



If the maximum amplitude in a time block exceeds the product of “*ajudge*” to RMS amplitude of the same time block, this time block is not used in analysis.

This is a countermeasure against impulsive noise due to traffic, i. e., vehicles passing near by seismometers.

The bigger value of “*ajudge*” means looser screening. The smaller value means fewer available time blocks.

Screening: Step-2

Parameter: a_sgm

If the RMS amplitude in a time block deviates more than a_sgm X the standard deviation from the average, this time block is not used in analysis, where the average and the standard deviation are calculated over the all time blocks that survived in the screening step-1.

This is a countermeasure against outliers.

The bigger value of “a_sgm” means looser screening. The smaller value means fewer available time blocks.

```
resamplc.sh:
```

```
#!/bin/sh -x
```

```
./resamplec.exe | tee cca_wkf/log/resamplec.log
```

Example of resamplec.prm:

```
6 0.008 2 0.0 0 2.0 :nch,dt,nchannel,dt,nskip,ph0,ncenter,radius
5.0 3.0 :ajudge,a_sgm
0.0 1800.0 :tst,tdur
F2LNN1.dat :output file name
1024 :number of data in one time block after resampling
```

where

nskip: skip number for resampling (1: no resampling, 2: resample at every two samples)

ph0: azimuth from the center(1ch) to 2ch

ncenter: 0 (no sensor at the center) or 1 (1ch at the center) , cannot be bigger than 2

radius: radius of circular array (m)

tst: start time of analysis (sec)

tdur: duration of time window for analysis (sec)

Execution:

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh resamplec.sh
./cca_wkf/prm/resamplec.prm
Working Folder=./cca_wkf/prm/
Band-Pass:fl= 0.100fh= 25.312
fs= 28.125
Nch= 6
Nskip 2 f(Nyquist)= 31.250 fs= 28.125
ajudge= 5.0 a_sgm= 3.0
tst = 0.0 tdur= 1800.0
F2LNN001.dat
 1 measurement
First screening (peak/rms< 5.0):
i_mea= 1
F2LNN001.dat
 1 -th measurement:./cca_wkf/data/multiplexed_files/F2LNN001.dat
 122 blocks remained among 218 blocks
Data stored in the temporary file
./cca_wkf/data/resampled_files/F2LNN1.dat

Second screening ({rms-average(rms)}/sigma< 3.00000000 ):
 120 blocks remained among 122 blocks
yokoi@ubuntu:~/CCA2017/CCA2017$
```

Example of Output (resampled) file format

F2LNN1.dat

1st line:file parameters

```

6  120 1024 0   0.00   2.00 (i8,f16.4, 6e15.7) mkine
   1   8.1920 -0.2134265E+01 -0.1570028E+01 -0.1464243E+01 -0.1183819E+01 -0.1944440E+01 -0.2460508E+01
   2   8.2080 -0.8561512E+00 -0.1420853E+00  0.5698163E+00 -0.7201288E+00 -0.8229986E+00 -0.1031229E+01
   3   8.2240 -0.1268116E+01 -0.1240067E+01 -0.2134730E+00 -0.2036263E+00 -0.3363592E+00 -0.7179448E+00
   4   8.2400 -0.1921562E+01 -0.1946060E+01 -0.1426458E+01  0.5525613E+00  0.5879311E-01 -0.1037454E+01
   ...
1024 24.5600  0.2423161E+01  0.9976824E+00  0.2375970E+01  0.6267622E+01  0.5800716E+01  0.4042787E+01
   1  16.3840  0.5473618E+01  0.3885463E+01  0.6374265E+01  0.4033590E+01 -0.3046133E+01  0.5571502E+00
   ...
  
```

The file include $mmbk=120$ time blocks of $nch=6$ channel data. Each time block is composed of $nblk=1024$ data.

Each line corresponds to a time step. The format used to store each line is $cform3='(i8,f16.4, 7e15.7)'$.


Unit of data is 'mkine' ($=1.0e-3$ cm/sec)

These parameters are stored in the 1st line.

As all of the data are delimited by space, this file can be read using free format.

Example 1-1: For Field Data:


Copy the field data file "F2LNN001.sg2" into "./cca_wkf/data/sg2_files".



Edit the parameter file "seg2read.prm" in "./cca_wkf/prm".

(seg2read.prm)

```
LCCM,Field,r=2m,L22D,No_Rs,No_A_amp,D_amp=X1,F2LNN0,Mar.15,2012      :comm(a70)
5.E-3      : scaling factor (for output files in mkine(1.e-3cm/s))
sg2        : extension of input seg2 format files(a3)
dat        : extension of output ascii text files(a3)
0 3 0.1 1.0 1.5  :nfilter(=1:apply),nchara=3:bandpass),f1,fh,fs
pvlist 1 2 3 4 5 6  : Channel Pivoting
```




The array used in the field has 6 sensors, but none of them at the center. They were installed counter-clockwise order. Then, pvlist 1 2 3 4 5 6 :

Example 1-1 (cont): Execution

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./seg2read.sh
./cca_wkf/prm/seg2read.prm
./cca_wkf/data/sg2_files/sg2file.lst
F2LNN001.sg2


./cca_wkf/data/sg2_files/F2LNN001.sg2
./cca_wkf/data/multiplexed_files/F2LNN001.cdm
nch= 12 dt= 0.008 nn= 225000
  1 files have been converted.
Normal End.
yokoi@ubuntu:~/CCA2017/CCA2017$
```



Input file is ./cca_wkf/data/sg2_files/F2LNN001.sg2

Multiplexed output is ./cca_wkf/data/multiplexed_files/F2LNN001.cdm

Log file is stored in 'cca_wkf/log/seg2read.log'



Example 1-1(Cont): For Field Data

(mltfile.lst for “multiplexed_files)

F2LNN001.dat

(resamplec.prm)

```
6 0.008 2 0.0 0 2.0 :nch,dt,nchannel,dt,nskip,ph0,ncenter,radius
5.0 3.0 :ajudge,a_sgm
0.0 1800.0 :tst,tdur
F2LNN1.dat :output file name
1024 :number of data in one time block after resampling
```

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./resamplec.sh
./cca_wkf/prm/resamplec.prm
Working Folder=./cca_wkf/prm/
Band-Pass:fl= 0.100fh= 25.312
fs= 28.125
Nch= 6
Nskip 2 f(Nyquist)= 31.250 fs= 28.125
ajudge= 5.0 a_sgm= 3.0
tst = 0.0 tdur= 1800.0
F2LNN001 .dat
1 measurement
First screening (peak/rms< 5.0):
i_mea= 1
F2LNN001 .dat
1 -th measurement:./cca_wkf/data/multiplexed_files/F2LNN001.cdm
122 blocks remained among 218 blocks
Data stored in the temporary file
./cca_wkf/data/resampled_files/F2LNN1.dat
Second screening ({rms-average(rms)}/sigma< 3.00000000 ):
120 blocks remained among 122 blocks
yokoi@ubuntu:~/CCA2017/CCA2017$
```



Output file: ./cca_wkf/data/resampled_files/F2LNN1.dat
Log file: ./ cca_wkf/log/resamplec.log

Output file: cca_wkf/data/resampled_files/F2LNN1.dat

```
F2LNN1.dat (~/CCA2017/CCA2017/cca_wkf/data/resampled_files) - gedit
Open Save
resamplec.prm x F2LNN1.dat x
1 6 120 1024 0 0.00 2.00 (i8,f16.4, 6e15.7) mkine
2 1 8.1920 -0.2134265E+01 -0.1570028E+01 -0.1464243E+01 -0.1183819E+01 -0.1944440E+01 -0.2460508E+01
3 2 8.2080 -0.8561512E+00 -0.1420853E+00 0.5698163E+00 -0.7201288E+00 -0.8229986E+00 -0.1031229E+01
4 3 8.2240 -0.1268116E+01 -0.1240067E+01 -0.2134730E+00 -0.2036263E+00 -0.3363592E+00 -0.7179448E+00
5 4 8.2400 -0.1921562E+01 -0.1946060E+01 -0.1426458E+01 0.5525613E+00 0.5879311E-01 -0.1037454E+01
6 5 8.2560 -0.1496630E+00 -0.1971388E+00 -0.5178442E+00 0.3342248E-01 0.2441409E+00 -0.2223579E+00
7 6 8.2720 0.1691884E+01 0.1940500E+01 0.1464395E+01 0.4097762E-01 0.5695816E+00 0.9296002E+00
8 7 8.2880 0.1703986E+01 0.2342472E+01 0.2387742E+01 0.1132192E+01 0.1037764E+01 0.1928447E+01
9 8 8.3040 0.1691325E+01 0.1653560E+01 0.1467912E+01 0.1262632E+01 0.8586157E+00 0.1551036E+01
10 9 8.3200 0.1749979E+01 0.9793880E+00 0.2770654E+00 -0.3539335E-01 0.1746513E+00 0.7429792E+00
11 10 8.3360 -0.1422137E-01 -0.2752598E+00 -0.2738954E+00 -0.1380785E+00 -0.3472582E+00 -0.9527585E-01
12 11 8.3520 -0.2684537E+00 0.1853040E+00 0.6619582E+00 0.1160535E+01 0.7660274E+00 -0.1265951E-01
13 12 8.3680 0.1374736E+01 0.1114815E+01 0.1076111E+01 0.7220107E+00 0.1642688E+01 0.1402611E+01
14 13 8.3840 0.6888835E+00 0.2348001E+00 0.3182783E+00 0.2095545E+00 0.2143849E+00 0.7790853E+00
15 14 0.4000 0.6444055E-01 0.7374385E+00 0.7030000E+00 0.2012407E+00 0.2047005E-01 0.1000075E+00
Plain Text Tab Width: 8 Ln 1, Col 1 INS
```

Example 1-2: For Huddle Test Data:

Copy the Huddle Test data file "HDLNN001.sg2" into "./cca_wkf/data/sg2_files".





sg2file.lst is overwritten in the next slide

Edit the parameter file "seg2read.prm" in "./cca_wkf/prm".

(seg2read.prm)


```
LCCM,Huddle,r=0m,L22D,No_Rs,No_A_amp,D_amp=X1,HDLNN0,Mar.15,2012      :comm(a70)
5.E-3      : scaling factor (for output files in mkine(1.e-3cm/s))
sg2        : extension of input seg2 format files(a3)
cdm        : extension of output ascii text files(a3)
0 3 0.1 1.0 1.5 :nfilter(=1:apply),nchara=3:bandpass),f1,fh,fs
pvlist 1 2 3 4 5 6 : Channel Pivoting
```



Example 1-2(cont): Execution

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh seg2read.sh
./cca_wkf/prm/seg2read.prm
./cca_wkf/data/sg2_files/sg2file.lst
HDLNN001.sg2


./cca_wkf/data/sg2_files/HDLNN001.sg2
./cca_wkf/data/multiplexed_files/HDLNN001.cdm
nch= 12 dt= 0.008 nn= 37500
    1 files have been converted.
Normal End.
yokoi@ubuntu:~/CCA2017/CCA2017$
```



Input file is ./cca_wkf/data/sg2_files/HDLNN001.sg2

Multiplexed output is ./cca_wkf/data/multiplexed_files/HDLNN001.cdm

Log file is stored in 'cca_wkf/log/seg2read.log'



Example 1-2 (cont) For Huddle Test Data

(mltfile.lst for “multiplexed_files)

HDLNN001.dat

It is necessary to edit resamplec.prm

(resamplec.prm)

6 0.008 2 0.0 0 0.0 :nch,dt,nskip,ph0,n_center,rr

4.0 3.0 :ajudge,a_sgm

0.0 300.0 :tst,tdur

HDLNN1.dat :output file name

1024 :number of data in one time block after resampling

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./resamplec.sh
./cca_wkf/prm/resamplec.prm
Working Folder=./cca_wkf/prm/
Band-Pass:fl= 0.100fh= 25.312
fs= 28.125
Nch= 6
Nskip 2 f(Nyquist)= 31.250 fs= 28.125
ajudge= 4.0 a_sgm= 3.0
tst = 0.0 tdur= 300.0
HDLNN001 .dat
1 measurement
First screening (peak/rms< 4.0):
i_mea= 1
HDLNN001 .dat
1 -th measurement:./cca_wkf/data/multiplexed_files/HDLN
N001.cdm
35 blocks remained among 35 blocks
Data stored in the temporary file
./cca_wkf/data/resampled_files/HDLNN1.dat
Second screening ({rms-average(rms)}/sigma< 3.00000000 ):
35 blocks remained among 35 blocks
yokoi@ubuntu:~/CCA2017/CCA2017$
```

Output file: cca_wkf/data/resampled_files/HDLNN1.dat

This parameter must be 0.0 for Huddle Test Data !

```
HDLNN1.dat (~/.CCA2017/CCA2017/cca_wkf/data/resampled_files) - gedit
Open Save
1 6 35 1024 0 0.00 0.00 (i8,f16.4, 6e15.7) mkine
2 1 0.0000 0.00000000E+00 0.00000000E+00 0.00000000E+00 0.00000000E+00 0.00000000E+00 0.00000000E+00
3 2 0.0160 -0.1799401E-04 -0.1802137E-04 -0.1899779E-04 -0.1662859E-04 -0.1702372E-04 -0.1857386E-04
4 3 0.0320 -0.7969931E-03 -0.7861268E-03 -0.8226026E-03 -0.7348599E-03 -0.7667689E-03 -0.8235789E-03
5 4 0.0480 -0.8717992E-02 -0.8514004E-02 -0.8888785E-02 -0.8073429E-02 -0.8518445E-02 -0.8909193E-02
6 5 0.0640 -0.3686757E-01 -0.3588269E-01 -0.3764278E-01 -0.3471331E-01 -0.3662400E-01 -0.3666741E-01
7 6 0.0800 -0.7309145E-01 -0.7125510E-01 -0.7582537E-01 -0.7128865E-01 -0.7417893E-01 -0.6874647E-01
8 7 0.0960 -0.7732718E-01 -0.7530410E-01 -0.8230261E-01 -0.8054324E-01 -0.8182846E-01 -0.6387848E-01
9 8 0.1120 -0.5401370E-01 -0.5133029E-01 -0.5919810E-01 -0.6365591E-01 -0.6399111E-01 -0.3049762E-01
10 9 0.1280 -0.3739453E-01 -0.3451442E-01 -0.4545669E-01 -0.5466346E-01 -0.5457631E-01 -0.4959976E-02
11 10 0.1440 -0.3376586E-01 -0.3379093E-01 -0.4955791E-01 -0.6377745E-01 -0.6028046E-01 0.4544184E-02
12 11 0.1600 -0.2756345E-01 -0.2850467E-01 -0.4630365E-01 -0.7146899E-01 -0.6520363E-01 0.1350301E-01
13 12 0.1760 0.3891129E-01 0.4415184E-01 0.2591697E-01 -0.1340199E-01 -0.5242409E-02 0.8341260E-01
14 13 0.1920 0.2147468E+00 0.2197260E+00 0.2062652E+00 0.1506829E+00 0.1653118E+00 0.2597901E+00
15 14 0.2080 0.4681795E+00 0.4648618E+00 0.4612210E+00 0.3906569E+00 0.4158294E+00 0.5116217E+00
16 15 0.2240 0.7006696E+00 0.6903515E+00 0.7000675E+00 0.6297039E+00 0.6625425E+00 0.7402074E+00
17 16 0.2400 0.8677690E+00 0.8466564E+00 0.8776230E+00 0.8165579E+00 0.8551915E+00 0.8929079E+00
18 17 0.2560 0.9461321E+00 0.9166424E+00 0.9621816E+00 0.9201996E+00 0.9672987E+00 0.9525769E+00
19 18 0.2720 0.7992548E+00 0.7551323E+00 0.8049649E+00 0.8111597E+00 0.8561526E+00 0.7765470E+00
20 19 0.2880 0.5417326E+00 0.4852985E+00 0.5423326E+00 0.5998430E+00 0.6403743E+00 0.4843208E+00
21 20 0.3040 0.4659206E+00 0.4213558E+00 0.4925604E+00 0.5820567E+00 0.6198716E+00 0.3836835E+00
22 21 0.3200 0.4229394E+00 0.3819969E+00 0.4677614E+00 0.5888388E+00 0.6057218E+00 0.3058384E+00
23 22 0.3360 0.7009304E-02 -0.3643999E-01 0.4173096E-01 0.2025956E+00 0.1996857E+00 -0.1503141E+00
24 23 0.3520 -0.6074927E+00 -0.6383445E+00 -0.5899900E+00 -0.3878586E+00 -0.4092204E+00 -0.7946633E+00
25 24 0.3680 -0.1100389E+01 -0.1132873E+01 -0.1109132E+01 -0.8804224E+00 -0.9233926E+00 -0.1309035E+01
26 25 0.3840 -0.1599649E+01 -0.1619796E+01 -0.1622063E+01 -0.1401182E+01 -0.1468702E+01 -0.1821403E+01
27 26 0.4000 -0.1783578E+01 -0.1757640E+01 -0.1800498E+01 -0.1625903E+01 -0.1722452E+01 -0.2001098E+01
28 27 0.4160 -0.1781523E+01 -0.1734324E+01 -0.1798014E+01 -0.1682066E+01 -0.1779111E+01 -0.1962144E+01
29 28 0.4320 -0.2147067E+01 -0.2089513E+01 -0.2173675E+01 -0.2092460E+01 -0.2183438E+01 -0.2260478E+01
30 29 0.4480 -0.2049970E+01 -0.1964119E+01 -0.2073261E+01 -0.2038199E+01 -0.2139653E+01 -0.2075512E+01
Plain Text Tab Width: 8 Ln 1, Col 28 INS
```

1. Multiplexing & Resampling

1.3 Plot Waveform


Shell Script used:

```
sh ./seewavc.sh
```

Program and parameter file used:

```
seewavc.exe +./cca_wkf/prm/seewavc.prm
```


Flow of the data processing for the conventional CCA



Multi-channel file: F2LNN001.dat

```
6 0.0080 0.5000E-02 225000 mkine
LCCM, Field, r=2m, L22D, No_Rs, No_A_amp, D_amp=X1, F2LNN
0.000000 0.480000E+00 0.345000E+00 0.610000E+00 0.565000E+00 0.325000E+00 0.365000E+00
0.008000 0.900000E-01 0.210000E+00 -0.725000E+00 -0.200000E-01 0.860000E+00 -0.190000E+00
0.016000 0.550000E+00 0.103500E+01 -0.965000E+00 0.125000E+00 0.148500E+01 0.430000E+00
...
```





Figure in Multi-page Post Script file.
Post Script file can be opened, for
example, by “gv &”.

```
seewavc.sh:
#!/bin/sh -x
cd cca_wkf/data/multiplexed_files
ls *.cdm > mlfile.lst
cd ../../..
./seewavc.exe | tee cca_wkf/log/seewavc.log
```

seewavc. prm


dtl denotes the time duration that corresponds to 1cm along the time axis.

In one page, $28 \cdot \text{dtl}/\text{dt}$ time step can be plotted. If the file has more, new pages are automatically added as much as necessary and multi-page PS file is created.

```
6  
0 0.1 1.0 1.5 3  
25.
```

```
:nch  
:nfilter, fl, fh, fs, nchara (=2: lowpass, =3: bandpass)  
:dtl (sec/cm), 25, 50==>10, 20 min/page
```

Band Pass Filter



nbandp=0: no effect
nbandp=1: bandpass filter is applied


This BPF does not affect to the data files. ⁵¹

Example 1-3: execution


```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./seewavc.sh
F2LNN001.cdm
HDLNN001.cdm
  2 measurement
./cca_wkf/data/results/fig_wave/F2LNN001.ps

F2LNN001.cdm 1-st page
F2LNN001.cdm 2-nd page
F2LNN001.cdm 3-rd page
./cca_wkf/data/results/fig_wave/HDLNN001.ps


HDLNN001.cdm 1-st page
yokoi@ubuntu:~/CCA2017/CCA2017$
```



Waveforms are plotted in PostScript files.
Log file is stored in “./cca_wkf/log/seewavc.log



mltfile.lst is newly created.



1. Multiplexing & Resampling

1.4 Check the selected time blocks

Shell Script used

```
sh ./seeblkc.sh
```

Program and parameter file used:

```
seeblkc.for +./cca_wkf/prm/seeblkc.prm
```

```
seeblkc.sh
```

```
#!/bin/sh -x
```

```
cd ./cca_wkf/data/resampled_files
```

```
ls *.dat > rsmfile.lst
```

```
cd ../../..
```

```
./seeblkc.exe | tee cca_wkf/log/seeblkc.log
```

Parameter file:

```
./cca_wkf/prm/seeblkc.prm
```

```
0 0.1 1.0 1.5 3 :nfilter,fl,fh,fs,nchara(=2:lowpass, =3:bandpass)
```

Example 1-4: Execution

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh seeblkc.sh
./cca_wkf/data/resampled_files/rsmfile.lst

./cca_wkf/prm/seeblkc.prm



./cca_wkf/data/resampled_files/F2LNN1.dat

6 120 1024 0 0.00 2.00 (i8,f16.4, 6e15.7) mkine
./cca_wkf/data/results/fig_wave/F2LNN1.ps

yokoi@ubuntu:~/CCA2017/CCA2017$ █
```

Multi-page postscript files are created in `./cca_wkf/data/results/fig_wave`
Log file is stored in `./cca_wkf/log/seeblkc.log`

Example 1-7: PostScript File



Multi-page postscript files are created in `./spacwkf/data/results/fig_wave`

2. Estimating Dispersion Curve

2.1 Calculation of CCA coefficient

Shell Script used

```
sh ./pwrcrs3.sh
```

Program and parameter file used:

```
pwrcrs3.for +./ccawkf/prm/pwrcrs3.prm
```

Terminology

Huddle test:

Common input motion recording to determine the difference of the system characteristics among the recording system and/or channels.


The seismometers used in field measurement are put close each other like a huddle and simultaneous recording is conducted.

System correction:

The difference of the characteristics among the recording system can be corrected using the data obtained by huddle tests.

Flow of the data processing for CCA

Field measurement



```
pwrcrs3.sh
```

```
#!/bin/sh
```

```
./pwrcrs3.exe 2>&1 | tee cca_wkf/log/pwrcrs3.log
```

Example of pwrcrs3.prm:

```
1.0 25.0 0.016 0.25 1 .5 :fmin,fmax,dt,bw,n_huddle,smthf
HDLNN1.dat      1 1      :Huddle Test data File name(A12), n_coh,n_pow
F2LNN1.dat      1 1      :Field data File name(A12), n_coh,n_pow
0 1             :n_cor_center, n_mod
```

where

fmin, fmax : minimum and maximum frequencies for analysis

bw : band width of Parzen window

n_huddle : flag for system correction using huddle test data
(0:no, 1:yes)

smthf : smoothing parameter

n_coh,n_pow : coherence & power spectra output flag : (0:no output , 1:yes)

n_cor_center : flag for correction using sensor at the center.
(0:no output , 1:yes)

n_mod : =0 no , =1 yes for plotting wavelength/3 vs Vs

Example of Execution

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./pwrcrs3.sh
Program pwrcrs3.for
./cca_wkf/prm/pwrcrs3.prm

HDLNN1.dat ./cca_wkf/data/resampled_files/HDLNN1.dat
1 1
6 35 1024 0 0.00 0.00 (i8,f16.4, 6e15.7) mkine
35 10
35 20
35 30

power and cross spectra for huddle test data calculated.
Block Averaging has been done.
./cca_wkf/data/results/HDLNN1_psp.dat
Power Spectra Output for Huddle Test:./cca_wkf/data
/results/HDLNN1_psp.dat
./cca_wkf/data/results/HDLNN1_coh.dat
Coherence Output for Huddle Test.
Correction using Huddle Test Data is conducted.
6 120 1024 0 0.00 2.00 (i8,f16.4, 6e15.7) mkine
120 10
120 20

yokoi@ubuntu:~/CCA2017/CCA2017
120 110
120 120

power and cross spectra for field data calculated.
Block Averaging has been done.
./cca_wkf/data/results/F2LNN1_psp.dat
Power Spectra Output:./cca_wkf/data/results/F2LNN1_
psp.dat
./cca_wkf/data/results/F2LNN1_coh.dat
Coherence Output
Correction by huddle test done.
./cca_wkf/data/results/F2LNN1_cor_psp.dat
Corrected Power Spectra Output
./cca_wkf/data/results/F2LNN1_cor_coh.dat
Corrected Coherence Output
No obs. point at the center.
Power spectra: G{Z0,Z0(r,r,omg)}
Power spectra: G{Z1,Z1(r,r,omg)}
cross spectra: G{Z0,Z1(r,r,omg)}
cross spectra: G{Z0,Z0(0,r,omg)}
0
./cca_wkf/data/results/cca_coef.dat

./cca_wkf/data/results/dispersion.dat
Note: The following floating-point exceptions are signalling: IEEE
_UNDERFLOW_FLAG IEEE_DENORMAL
yokoi@ubuntu:~/CCA2017/CCA2017$
```

CCA coefficient

calculated in the frequency domain

$$n_huddle=0 \quad s_{CCA'}(r, \omega) \approx \frac{\sum_{m=1}^M \sum_{m'=1}^M E[C_{m,m'}(r, \omega)]}{\sum_{m=1}^M \sum_{m'=1}^M E[C_{m,m'}(r, \omega)] \exp\{-i(\theta_m - \theta_{m'})\}} \approx \frac{J_0^2(r\omega/c)}{J_1^2(r\omega/c)}$$


$$n_huddle=1 \quad s_{CCA}(\omega) = \frac{\sum_{i=1}^M \sum_{k=1}^M R_{ik}(\omega)}{\sum_{i=1}^M \sum_{k=1}^M R_{ik}(\omega) \exp\{-j(\theta_i - \theta_k)\}}$$

$$R_{ik}(\omega) = \frac{C_{00}^{obs}(\omega) E[C_{ik}^{obs}(\omega)] \overline{Cor_{ik}^{huddle}(\omega)}}{\sqrt{E[C_{ii}^{obs}(\omega)] E[C_{kk}^{obs}(\omega)]}}$$

$$\overline{Cor_{ik}^{huddle}(f)} = \exp \left\{ jE \left[\text{Arg} \left(\frac{\sqrt{C_{ii}^{huddle}(f)} \cdot C_{kk}^{huddle}(f)}{C_{ik}^{huddle}(f)} \right) \right] \right\}$$

KR derived from CCA coefficient

$$s(r, \omega) = \frac{J_0^2(r\omega/c)}{J_1^2(r\omega/c)}$$



Long wavelength approximation
(Small value of kr) (Cho et al,2006)

$$c(\omega) = \frac{r\omega}{2} \sqrt{s(r, \omega) + 2}$$


Improved approximation: Yokoi(2012)

$$c(\omega)/r\omega = 1.0003 \left(\frac{\sqrt{s(r, \omega) + 0.97221}}{2.0003} + 0.0015245 \right) - 0.0138$$

Estimate $c(\omega)$ using the relation $KR=2\pi R/c(\omega)$

Output Files

in ./ccawkf/data/results



The screenshot shows a file manager window titled 'results' with a breadcrumb path of '< data results >'. The window displays a list of files and folders with columns for Name, Size, Type, and Modified. The files listed are:

Name	Size	Type	Modified
fig_interim	0 items	Folder	15:42
fig_results	0 items	Folder	15:42
fig_wave	2 items	Folder	17:03
cca_coef.dat	36.4 kB	Text	17:27
dispersion.dat	16.2 kB	Text	17:27
F2LNN1_coh.dat	137.9 kB	Text	17:27
F2LNN1_cor_coh.dat	137.9 kB	Text	17:27
F2LNN1_cor_psp.dat	54.9 kB	Text	17:27
F2LNN1_psp.dat	54.9 kB	Text	17:27
HDLNN1_coh.dat	137.9 kB	Text	17:27
HDLNN1_psp.dat	54.9 kB	Text	17:27

cca_coef.dat : calculated CCA coefficient
dispersion.dat : estimated dispersion curve
F2LNN1_coh.dat : coherence among the channels
F2LNN1_cor_coh.dat : coherence corrected by huddle test
(not created if n_huddle=0 in pwrcrs3.prm)
F2LNN1_psp.dat : power spectra of all channels
F2LNN1_cor_psp.dat : power spectra corrected by huddle test
(not created if n_huddle=0 in pwrcrs3.prm)
HDLNN1_coh.dat : coherence among the channel for huddle test
HDLNN1_psp.dat : power spectra of huddle test

2. Estimating Dispersion Curve

2.2 Plot Power, Fourier Spectra & Coherence

Shell Script used

```
sh ./spectra_all.sh
```

Program used

```
power_plt.exe
```

```
fourier_plt.exe
```

```
coh_plt.exe
```

```
spectra_all.sh
```

```
#!/bin/sh -x
```

```
./power_plt.exe | tee cca_wkf/log/spectra_all.log
```

```
gnuplot -e " load 'power.plt' ; pause -1 "
```

```
./fourier_plt.exe | tee -a cca_wkf/log/spectra_all.log
```

```
gnuplot -e " load 'fourier.plt' ; pause -1 "
```


```
./coh_plt.exe | tee -a cca_wkf/log/spectra_all.log
```

```
gnuplot -e " load 'coherence.plt' ; pause -1 "
```

```
rm ./cca_wkf/data/results/temp*.dat
```


Example of execution (Example 1-5)

All output figures displayed in X-
windows are stored in PostScript
format in the subfolder
./cca_wkf/data/results/fig_interim




```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./spectra_all.sh
Frequency
./cca_wkf/prm/gnuplt_script/F2LNN1_psp.plt
F2LNN1_psp.ps
Frequency
./cca_wkf/prm/gnuplt_script/F2LNN1_fsp.plt
16.3840008
F2LNN1_fsp.ps
./cca_wkf/prm/gnuplt_script/F2LNN1_coh.plt
1./cca_wkf/data/results/F2LNN1_coh.dat
./cca_wkf/data/results/fig_interim/F2LNN1_coh.ps
2./cca_wkf/data/results/HDLNN1_coh.dat
./cca_wkf/data/results/fig_interim/HDLNN1_coh.ps
3./cca_wkf/data/results/F2LNN1_cor_coh.dat
./cca_wkf/data/results/fig_interim/F2LNN1_cor_coh.ps
Hit return to continue
Hit return to continue
Hit return to continue
yokoi@ubuntu:~/CCA2017/CCA2017$
```

Power & Fourier Spectra

(Example 1-5)

(Acceleration) Power Spectra

(Velocity) Fourier Spectra



Power spectra corrected using huddle test records are in “cca_coef.dat” and its example is shown few slide later.


In the shown example, seismometers of which natural frequency is 2Hz are used, then the power & Fourier spectra decays in the frequency range lower than that frequency.

These figures are stored in ./cca_wkf/data/results/fig_results in PostScript format.


Coherence

(Example 1-5)


Field Data



Huddle Test Data



Corrected Data



0,579257, -0,109107

These figures are stored in
./cca_wkf/data/results/fig_results
in PostScript format.

0,964292, 1,04406

2. Estimating Dispersion Curve

2.3 Quality Control & Dispersion Curve

Shell Script used

```
sh ./results.sh
```

Program used

```
resultc._plt.exe
```

```
q_control.exe
```

```
vel_model_plt.exe
```

```
results.sh
```

```
#!/bin/sh -x
```

```
./resultc_plt.exe | tee cca_wkf/log/results.log
```

```
gnuplot -e " load 'results.plt' ; pause -1 "
```

```
./q_control.exe | tee -a cca_wkf/log/results.log
```

```
gnuplot -e " load 'q_control.plt' ; pause -1 "
```

```
./vel_model_plt.exe | tee -a cca_wkf/log/results.log
```

```
gnuplot -e " load 'vel_model.plt' ; pause -1 "
```

```
rm ./cca_wkf/data/results/temp*.dat
```

cca_coef.dat

Freq.	ALL	Z0/ALL	Z1/ALL	Z0/Z1	Azi	err/N	2.000	1.000	25.000 :Radius, fmin, fmax
0.916	0.182E-11	0.869E+00	0.284E-01	0.306E+02	-0.209E+03	0.000E+00			
0.977	0.279E-11	0.895E+00	0.223E-01	0.401E+02	-0.210E+03	0.000E+00			
1.038	0.429E-11	0.909E+00	0.196E-01	0.465E+02	-0.210E+03	0.000E+00			
1.099	0.652E-11	0.927E+00	0.163E-01	0.570E+02	-0.210E+03	0.000E+00			
1.160	0.102E-10	0.942E+00	0.133E-01	0.707E+02	-0.210E+03	0.000E+00			
1.221	0.164E-10	0.954E+00	0.106E-01	0.899E+02	-0.210E+03	0.000E+00			
1.282	0.269E-10	0.964E+00	0.821E-02	0.117E+03	-0.210E+03	0.000E+00			
1.343	0.435E-10	0.972E+00	0.633E-02	0.154E+03	-0.210E+03	0.000E+00			
1.404	0.674E-10	0.978E+00	0.501E-02	0.195E+03	-0.209E+03	0.000E+00.....			

1st line : titles of columns (Freq.,All, Zo/ALL, Z1/ALL, Z0/Z1,Azi,err/N), radius,fmin,fmax

Freq. : frequency

ALL : Total power spectra

Z0/ALL :

Z1/ALL :

Z0/Z1 : CCA coefficient

azi : azimuth estimated from array analysis

err/N : actually not used

Z0: numerator of CCA coefficient

power of zero order component of Fourier expansion over azimuth

Z1: denominator of CCA coefficient

power of first order component of Fourier expansion over azimuth

(Example 1-5)

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh results.sh
./cca_wkf/data/results/cca_coef.dat

./cca_wkf/prm/gnuplt_script/results.plt
./cca_wkf/data/results/fig_results/
results_psp.ps
./cca_wkf/data/results/temp1.dat
results_G0_G1.ps
results_cca.ps
results_azi.ps
Hit return to continue
Hit return to continue
Hit return to continue

q_control.plt

./cca_wkf/prm/gnuplt_script/q_control.plt


./cca_wkf/data/results/fig_results/g0_all.ps
./cca_wkf/data/results/fig_results/g1_all.ps
./cca_wkf/data/results/fig_results/q_control.ps
Hit return to continue
Hit return to continue
Hit return to continue

./cca_wkf/prm/gnuplt_script/vel_model.plt


yokoi@ubuntu:~/CCA2017/CCA2017$
```

cca_coef.dat



Power Spectra of ch1



G0/ALL & G1/ALL





Incoming Azimuth




These figures are stored in `./cca_wkf/data/results/fig_results` in PostScript format.

Quality Control

Using the values of “kr” in the file “dispersion.dat”, Z0/ALL and Z1/ALL in the file “cca_coef.dat” are compared with the theoretical $J_0(kr)^2$ and $J_1(kr)^2$, respectively. Arrows indicate the limit of the range of “kr” for analysis, where the observed curves run off from the theoretical ones.



(Example 1-5)




These figures are stored in `./cca_wkf/data/results/fig_results` in PostScript format.

dispersion.dat

(Example 1-5)

Frequency	Velocity	Azimuth	KR
0.916	32.348	-208.786	0.356
0.977	39.342	-210.076	0.312
1.038	44.918	-210.351	0.290
1.099	52.573	-210.471	0.263
1.160	61.721	-210.378	0.236

...



This figure is stored in `./cca_wkf/data/results/fig_results` in PostScript format.

4. Heuristic Search of Vs Structure

Shell Script used:

```
sh ./inversion.sh
```

Programs and parameter file used:

```
disp_sma1_2.for + disp_sma1_2.prm
```



```
inversion.sh:
```

```
#!/bin/sh  
./disp_sma1_2.exe | tee ./cca_wkf/log/inversion.log  
./inv_plt.exe | tee -a ./cca_wkf/log/inversion.log  
gnuplot -e "load 'inv.plt' ; pause -1 "  
rm ./cca_wkf/data/results/temp*.dat
```

dispersion.dat

str_range.dat

Observed Dispersion Curve



Search Range

disp_sma1_2.for

disp_sma1_2.prm

Curve fitting

Optimum Velocity Structure
vel_cal.dat

Comparison of Cal. To Obs.
disp_cal.dat

disp_sma1_1.for Yokoi(2006)

Combination of the Down Hill Simplex Method (Nelder & Mead (1965)) and the Very Fast Simulated Annealing method (Ingber, 1989).

DHSM: Down Hill Simplex Method (Nelder & Mead (1965))

An efficient algorithm to find “local minimum”.

Faster than Geiger’s method. Partial derivatives are not necessary.

Result is controlled by given initial values and easily captured by local minimum.

Example of application to the microtremor array: Ohori et al(2002)

VFSA: Very Fast Simulated Annealing method (Ingber, 1989)

One of the heuristic search methods.

Analogy of cooling and crystallization process of metals.

Results can escape from local minimum and can get global minimum with some probability.


Time consuming due to the probabilistic search for each parameter.

Example of application to the microtremor array & appropriate values of parameters for this purpose: Yamanaka (2004)


Edit “dispersion.dat” using “gedit” or othrt text editor

(Example 1-6)

Then, redraw it using:
`sh ./vel_model_plt.sh`



-0.923119, -33.7099



-1.14336, -35.5541

Don't leave blank line at the end of the edited “dispersion.dat”

Parameter file: disp_sma1_2.prm

```
1 1. 0.6 1.3 10000 5 :idum,t0,a,c,ntemp,j0
0.0002 :eps0
1 1 :n_roh,n_vp
1 0 1 :ini_flg,ndsp_flg,n_err
0 1 :k_flg,j_flg
0 0 :n_vs,n_th
str_range.dat :File name for the initial velocity model (a25).
dispersion.dat :File name for the observed dispersion relation (a25).
vel_cal.dat :File name for the estimated velocity structure (a25)
disp_cal.dat :File name for the calculated dispersion relation (a25)
```

(Example 1-6)

Explanation

Control parameter for the simulated annealing method

idum :Random seed (integer)

As the result may depend on the initial velocity model given by random number, it is strongly recommended for users to apply this program several times with various values of random seed and to grasp the scatter of result.

t0 :Initial Temperature

a,c :Coefficients for $T=T_0 \cdot \exp(-c \cdot k^a)$, where k is iteration number

ntemp :Maximum number of temperature change

j0 :Number of iteration for each temperature

threshold for conversion

eps0 : acceptable misfit.

Search Range file: str_range.dat

LCCM, r=2m, L22D, F2LNN0, 12/03/15:Model(a30)

(Example 1-6)

6		:IL(I5), Layer Number				
1.9	1.5	0.001	0.020	0.10	0.15	:density, Vp, hmin, hmax, vmin, vmax
1.9	1.5	0.001	0.020	0.12	0.20	:density, Vp, hmin, hmax, vmin, vmax
1.9	1.5	0.001	0.020	0.18	0.25	:density, Vp, hmin, hmax, vmin, vmax
1.9	1.5	0.001	0.020	0.15	0.30	:density, Vp, hmin, hmax, vmin, vmax
1.9	1.5	0.001	0.020	0.15	0.35	:density, Vp, hmin, hmax, vmin, vmax
2.0	1.70	998.0	999.0	0.20	0.50	:density, Vp, hmin, hmax, vmin, vmax

→ If n_vp=1 in parameter file, the given values of Vp are not used

→ If n_roh=1 in parameter file, the given values of density are not used

Execution (Example 1-6 cont).

Conversion of misfit to the threshold ϵ_0

Optimum Underground velocity structure

Plotting



```
yokoi@ubuntu: ~/CCA2017/CCA2017
4285 0.0002000041
4290 0.0002000041
4295 0.0001998950
./cca_wkf/data/results/vel_cal.dat

      Thicknes(Km) Density(g/cm^3)      Vp(Km/sec)      Vs(Km/sec)
1         0.002465      1.765112      1.430646      0.126708
2         0.004336      1.770764      1.448080      0.142414
3         0.007101      1.806016      1.557956      0.241402
4         0.003121      1.788532      1.503217      0.192088
5         0.011575      1.787601      1.500316      0.189474
6         999.000000      1.841018      1.669038      0.341476
./cca_wkf/data/results/disp_cal.dat

Note: The following floating-point exceptions are signalling: IEEE
_UNDERFLOW_FLAG IEEE_DENORMAL
./cca_wkf/prm/gnuplt_script/disp_cal.plt
./cca_wkf/prm/gnuplt_script/vs_structure.plt

Hit return to continue
yokoi@ubuntu: ~/CCA2017/CCA2017$
```

Plotting (Example 1-6 cont).



The same figures are stored in Post Script files:

`./cca_wkf/data/results/fig_results/
disp_cal.ps`

`./cca_wkf/data/results/fig_results/
vs_structure.ps`

Green points can be eliminated
by setting `n_mod=0` in
`pwrhrs3.prm`.


Example2

(Sensor at Center without Instrumental Correction)

Example with two data sets:

7 points circular array, one of which is at the center

Both are the seg2 standard format file.



The array used in the field has 7 sensors and 7-th sensor (CH-7) at the center. Other 6 sensors were installed clockwise order. Then, `pvlist 7 6 5 4 3 2 1 :`

seg2read.sh: Execution

seg2read.prm

This title is used for every figures



Yoshima Elementary School, L22, Feb. 15 2016 : comm(a70)

```
5.E-3      : scaling factor (for output files in mkine(1.e-3cm/s))
sg2        : extension of input seg2 format files(a3)
cdm        : extension of output ascii text files(a3)
0 3 0.1 1.0 1.5 :nfilter(=1:apply),nchara=3:bandpass),fl,fh,fs
pvlist 7 6 5 4 3 2 1 :Channel Pivoting
```

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ ./seg2read.sh
+ cd cca_wkf/data/sg2_files
+ ls sxiw2001.sg2 sxiw2002.sg2 sxiw2003.sg2 sxiw2004.sg2 sxiw2005.sg2 sxiw2006.s
g2 sxiw2007.sg2 sxiw2008.sg2 sxiw2009.sg2 sxiw2010.sg2
+ cd ../../..
+ ./seg2read.exe
+ tee cca_wkf/log/seg2read.log
./cca_wkf/prm/seg2read.prm
./cca_wkf/data/sg2_files/sg2file.lst
```

```
yokoi@ubuntu:~/CCA2017/CCA2017
sxiw2001.sg2
sxiw2002.sg2
sxiw2003.sg2
sxiw2010.sg2
```


```
./cca_wkf/data/sg2_files/sxiw2001.sg2
./cca_wkf/data/multiplexed_files/sxiw200
nch= 7 dt= 0.002 nn= 16384

./cca_wkf/data/sg2_files/sxiw2002.sg2
./cca_wkf/data/multiplexed_files/sxiw200
nch= 7 dt= 0.002 nn= 16384


./cca_wkf/data/sg2_files/sxiw2003.sg2
./cca_wkf/data/multiplexed_files/sxiw200
nch= 7 dt= 0.002 nn= 16384
```

```
yokoi@ubuntu:~/CCA2017/CCA2017
./cca_wkf/data/sg2_files/sxiw2009.sg2
./cca_wkf/data/multiplexed_files/sxiw2009.cdm
nch= 7 dt= 0.002 nn= 16384

./cca_wkf/data/sg2_files/sxiw2010.sg2
./cca_wkf/data/multiplexed_files/sxiw2010.cdm
nch= 7 dt= 0.002 nn= 16384
10 files have been converted.
Normal End.
+ cd cca_wkf/data/multiplexed_files
+ ls sxiw2001.cdm sxiw2002.cdm sxiw2003.cdm sxiw2004.cdm sxiw2005.cdm sxiw2006.c
dm sxiw2007.cdm sxiw2008.cdm sxiw2009.cdm sxiw2010.cdm
+ cd ../../..
yokoi@ubuntu:~/CCA2017/CCA2017$
```



10 sg2 files



10 cdm files

cdm files in ./cca_wkf/data/multiplexed_files

```
sxiw2001.cdm (~/.CCA2017/CCA2017/cca_wkf/data/multiplexed_files) - gedit
Open Save
1 7 0.0020 0.5000E-02 16384 mkine
2 Yoshima Elementary School, L22, Feb. 15 2016
3 0.000000 0.5748025E+01 0.5760591E+01 0.5804726E+01 0.5720710E+01 0.5764059E+01 0.5703885E+01 0.5760494E+01
4 0.002000 0.5650937E+01 0.5777773E+01 0.5858131E+01 0.5704001E+01 0.5749534E+01 0.5666257E+01 0.5724161E+01
5 0.004000 0.5646247E+01 0.5861546E+01 0.5894811E+01 0.5726503E+01 0.5694459E+01 0.5612358E+01 0.5658440E+01
6 0.006000 0.5650049E+01 0.5946153E+01 0.5983797E+01 0.5755228E+01 0.5664045E+01 0.5516524E+01 0.5608420E+01
7 0.008000 0.5705831E+01 0.5927468E+01 0.6063264E+01 0.5769224E+01 0.5630989E+01 0.5423736E+01 0.5644070E+01
8 0.010000 0.5836943E+01 0.5876994E+01 0.6052250E+01 0.5830881E+01 0.5601735E+01 0.5396394E+01 0.5640323E+01
9 0.012000 0.5818093E+01 0.5789064E+01 0.6034070E+01 0.5880350E+01 0.5642457E+01 0.5386472E+01 0.5740979E+01
Plain Text Tab Width: 8 Ln 1, Col 1 INS
```

7 channels

Sampling interval $dt = 0.002$ sec (0.5kHz)

Scaling factor = 0.005

16384 samples in each file

➔ 16.384 sec in each file

resamplec.sh: Execution

resamplec.prm:

```
7 0.002 10 0.0 1 1.0 :nch,dt,nchannel,dt,nskip,ph0,ncenter,radius
9.0 4.0 :ajudge,a_sgm
0.0 16.383 :tst,tdur
YOSIMA.dat :output file name (A10)
512 :number of data in one time block after resampling
```


```
yokoi@ubuntu:~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./resamplec.sh
./cca_wkf/prm/resamplec.prm
Working Folder=./cca_wkf/prm/
Band-Pass:fl= 0.100fh= 20.250
fs= 22.500
Nch= 7
Nskip 10 f(Nyquist)= 25.000 fs= 22.500
ajudge= 9.0 a_sgm= 4.0
tst = 0.0 tdur= 16.4
sxiw2001.cdm
sxiw2002.cdm
sxiw2003.cdm
sxiw2004.cdm
sxiw2005.cdm
sxiw2006.cdm
sxiw2007.cdm
sxiw2008.cdm
sxiw2009.cdm
sxiw2010.cdm
10 measurement
First screening (peak/rms< 9.0):
i_meas= 1

/cca_wkf/data/multiplexed_files/sxiw2008.cdm
among 2 blocks

/cca_wkf/data/multiplexed_files/sxiw2009.cdm
among 2 blocks

10 -th measurement:./cca_wkf/data/multiplexed_files/sxiw2010.cdm
2 blocks remained among 2 blocks
data stored in the temporary file
/cca_wkf/data/resampled_files/YOSIMA.dat

Second screening ({rms-average(rms)}/sigma< 4.00000000 ):
20 blocks remained among 20 blocks
yokoi@ubuntu:~/CCA2017/CCA2017$
```



resampled file in ./cca_wkf/data/resampled_files: Yoshima.dat

```
7 20 512 1 0.00 1.00 (i8,f16.4, 7e15.7) mkine
  1 0.0000 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00 0.0000000E+00
  2 0.0200 0.1886124E-06 0.1951861E-06 0.1940966E-06 0.1863137E-06 0.1889530E-06 0.1898792E-06 0.1919477E-06
  3 0.0400 0.2108473E-03 0.2167535E-03 0.2173618E-03 0.2086327E-03 0.2086433E-03 0.2078045E-03 0.2122828E-03
  ...
```

7 channels

Resampling interval $dt = 0.02$ sec (50Hz)

512 samples in each time block → 10.24 sec/block

Sensor at the center: ON

$\phi_0 = 0.0$ rad.

Radius:=1.0 m

Unit: mkine=1.0e-3 cm/sec

seewavc.sh: Execution

seewavc.prm:

```
7 :nch
0 0.1 1.0 1.5 3 :nfilter, f1, fh, fs, nchara(=2:lowpass, =3:bandpass)
0.75 :dt1(sec/cm), 25, 50==>10, 20 min/page
```


```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./seebk.sh
./cca_wkf/data/resampled_files/rsmfile.lst

./cca_wkf/prm/seebk.prm

./cca_wkf/data/resampled_files/YOSIMA.dat

7 20 512 1 0.00 1.00 (i8,f16.4, 7e15.7) mline
./cca_wkf/data/results/fig_wave/YOSIMA.ps
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./seewavc.sh
sxiw2001.cdm
sxiw2002.cdm
sxiw2003.cdm
sxiw2004.cdm
sxiw2005.cdm
sxiw2006.cdm
sxiw2007.cdm

yokoi@ubuntu:~/CCA2017/CCA2017
sxiw2010.cdm
10 measurement
./cca_wkf/data/results/fig_wave/sxiw2001.ps
sxiw2001.cdm 1-st page
sxiw2001.cdm 2-nd page
./cca_wkf/data/results/fig_wave/sxiw2002.ps
sxiw2002.cdm 1-st page
sxiw2002.cdm 2-nd page
./cca_wkf/data/results/fig_wave/sxiw2003.ps
sxiw2003.cdm 1-st page
sxiw2003.cdm 2-nd page
./cca_wkf/data/results/fig_wave/sxiw2004.ps
sxiw2004.cdm 1-st page
sxiw2004.cdm 2-nd page
./cca_wkf/data/results/fig_wave/sxiw2005.ps
```



seeblkc.sh: Execution

seeblkc.prm:


0 0.1 1.0 1.5 3 :nfilter,f1,fh,fs,nchara(=2:lowpass, =3:bandpass)

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./seeblkc.sh
./cca_wkf/data/resampled_files/rsmfile.lst

./cca_wkf/prm/seeblkc.prm

./cca_wkf/data/resampled_files/YOSIMA.dat

7 20 512 1 0.00 1.00 (i8,f16.4, 7e15.7)
./cca_wkf/data/results/fig_wave/YOSIMA.ps
yokoi@ubuntu:~/CCA2017/CCA2017$
```



pwrcrs3.sh: Execution

pwrcrs3.prm:

```
1.0 20.0 0.02 0.4 0 .3 :fmin,fmax,dt,bw,n_huddle,smthf
DUMMY1.dat      1 1      :Huddle Test data File name(A12),coherence,power spectra,output flag
YOSIMA.dat      1 1      :Field data File name(A12) ,coherence, power pectra,output flag
1               :n_cor_center
```

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./pwrcrs3.sh
Program pwrcrs3.for
./cca_wkf/prm/pwrcrs3.prm




go to 100
Huddle Test Skipped.
7 20 512 1 0.00 1.00 (i8,f16.4, 7e15.7) mkine
      20      10
      20      20

power and cross spectra for field data calculated.
Block Averaging has been done.
./cca_wkf/data/results/YOSIMA_psp.dat
Power Spectra Output:./cca_wkf/data/results/YOSIMA_psp.dat

./cca_wkf/data/results/YOSIMA_coh.dat
Coherence Output
Obs. point at the center.
Power spectra: G{Z0,Z0(r,r,omg)}
Power spectra: G{Z1,Z1(r,r,omg)}
cross spectra: G{Z0,Z1(r,r,omg)}
cross spectra: G{Z0,Z0(0,r,omg)}
1
Correction using the seismometer at the center
./cca_wkf/data/results/cca_coef.dat

./cca_wkf/data/results/dispersion.dat
Note: The following floating-point exceptions are signalling: IEEE_UNDERFLOW_FL
G IEEE_DENORMAL
yokoi@ubuntu:~/CCA2017/CCA2017$
```

spectra_all.sh: Execution



```

yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./spectra_all.sh
Frequency
./cca_wkf/prm/gnuplt_script/YOSIMA_psp.plt

YOSIMA_psp.ps

Frequency
./cca_wkf/prm/gnuplt_script/YOSIMA_fsp.plt

10.2399998
YOSIMA_fsp.ps

./cca_wkf/prm/gnuplt_script/YOSIMA_coh.plt

1./cca_wkf/data/results/YOSIMA_coh.dat
./cca_wkf/data/results/fig_interim/YOSIMA_coh.ps
Hit return to continue
yokoi@ubuntu:~/CCA2017/CCA2017$
    
```

results.sh: Execution

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./results.sh
./cca_wkf/data/results/cca_coef.dat

./cca_wkf/prm/gnuplt_script/results.plt
./cca_wkf/data/results/fig_results/
results_psp.ps
./cca_wkf/data/results/temp1.dat
results_G0_G1.ps
results_cca.ps
results_azi.ps
Hit return to continue
Hit return to continue
Hit return to continue

q_control.plt


./cca_wkf/prm/gnuplt_script/q_control.plt

./cca_wkf/data/results/fig_results/g0_all.ps
./cca_wkf/data/results/fig_results/g1_all.ps
./cca_wkf/data/results/fig_results/q_control.ps
Hit return to continue
Hit return to continue
Hit return to continue]
./cca_wkf/prm/gnuplt_script/vel_model.plt

yokoi@ubuntu:~/CCA2017/CCA2017$
```

Gnuplot


Yoshina Elementary School, L22, Feb. 15 2016



0,0292460, -114,056

Gnuplot


Yoshina Elementary School, L22, Feb. 15 2016



19,5820, 2,00261

Gnuplot


Yoshina Elementary School, L22, Feb. 15 2016



21,7632, 0,0275783


Gnuplot

Yoshina Elementary School, L22, Feb. 15 2016




21,9578, -217,106

Gnuplot




2,10081, 20,4756

Gnuplot




1,44089, 1,93032

Gnuplot




6,40817, 6,42951

Gnuplot




-1,14336, -23,4507

Edit “dispersion.dat” using “gedit” or othr text editor



Then, redraw it using:
`sh ./vel_model_plt.sh`



Don't leave blank line at the end of the edited “dispersion.dat”

inversion.sh: Execution

Yoshima Elementary School, L22, Feb. 15 2016

```
      5                               :IL(I5),Layer Number
1.9   1.5   0.001  0.020  0.09  0.20 :density,Vp,hmin,hmax,vmin,vmax
1.9   1.5   0.001  0.020  0.05  0.20 :density,Vp,hmin,hmax,vmin,vmax
1.9   1.5   0.001  0.020  0.10  0.25 :density,Vp,hmin,hmax,vmin,vmax
1.9   1.5   0.001  0.020  0.10  0.25 :density,Vp,hmin,hmax,vmin,vmax
2.0   1.70  998.0  999.0  0.15  0.50 :density,Vp,hmin,hmax,vmin,vmax
```

str_range.dat

```
yokoi@ubuntu: ~/CCA2017/CCA2017
yokoi@ubuntu:~/CCA2017/CCA2017$ sh ./inversion.sh
+-----+
+                               +
+           Disp_sma1           +
+                               +
+ Program to obtain the optimum undeground velocity +
+ structure for the given dispersion relation of     +
+ Rayleigh wave.                                   +
+                               +
+ The used method is a combination of the down hill +
+ simplex method (Nelder & Mead (1965)) and the    +
+ very fast simulated annealing method (Ingber     +
+ (1989)).                                          +
+                               +
+ The subroutine DSPRAY and DSPMRX published in    +
+ "Seismological Algorithm" are used directly.     +
+ AMOEBA and AMOTRY published in "Numerical Recipe" +
+ are also used, but with significant modification +
+ for the adaptation with the very fast simulated  +
+ annealing method.                               +
+                               +
+ By the combination with the down hill simplex    +
+ method, the very fast simulated annealing method +
+ is gotten much faster.                          +
+                               +
+                               +
+                               July 6, 2005+
+ CopyRight by Toshiaki Yokoi, IISEE, BRI, Japan.+
+-----+
```

```
1 1. 0.6 1.3 10000 5 :idum,t0,a,c,ntemp,j0
0.0002 :eps0
1 1 :n_roh,n_vp
1 0 1 :ini_flg,ndsp_flg,n_err
0 1 :k_flg,j_flg
0 0 :n_vs,n_th
```

disp_sma1_2.prm

```

yokoi@ubuntu: ~/CCA2017/CCA2017
735 0.0002003515
740 0.0002003127
745 0.0001994483
./cca_wkf/data/results/vel_cal.dat

Thicknes(Km) Density(g/cm^3) Vp(Km/sec) Vs(Km/sec)
1 0.004955 1.761941 1.420883 0.117912
2 0.002867 1.747998 1.378142 0.079407
3 0.005108 1.768456 1.440955 0.135995
4 0.008508 1.786790 1.497787 0.187196
5 999.000000 1.800897 1.541877 0.226917
./cca_wkf/data/results/disp_cal.dat



./cca_wkf/data/result serr_estm.dat

Note: The following floating-point exceptions are signalling: IEEE_UNDER
FLOW_FLAG IEEE_DENORMAL
./cca_wkf/prm/gnuplt_script/disp_cal.plt
./cca_wkf/prm/gnuplt_script/vs_structure.plt

Hit return to continue

yokoi@ubuntu: ~/CCA2017/CCA2017$

```



Green points can be eliminated by setting `n_mod=0` in `pwrsrcs3.prm`.